

Fall Hospitalizations

Fall Hospitalizations

- Most recent data (2012): 279.6 hospitalizations per 100,000, including 5,475 admissions.
- Trend over time: 2000-12: falling
- Description: Includes non-fatal hospitalizations for any unintentional injury that involves a fall

Fall hospitalizations, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	293.0	289.5	296.6	5531
AGE				
<18	55.1	51.9	58.4	229
18-24	59.9	54.9	65.2	107
25-44	77.5	74.4	80.7	473
45-64	224.2	218.5	230.1	1166
65+	1676.3	1651.7	1701.1	3556
GENDER				
Male	270	264.9	275.2	2254
Female	304.4	299.6	309.2	3276
RACE/ETHNICITY				
AIAN	N/A	N/A	N/A	N/A
Asian	N/A	N/A	N/A	N/A
Black	N/A	N/A	N/A	N/A
Hispanic	N/A	N/A	N/A	N/A
Multiple	N/A	N/A	N/A	N/A
NHPI	N/A	N/A	N/A	N/A
White	N/A	N/A	N/A	N/A
NEIGHBORHOOD POVERTY				
High	343.1	327.8	359.0	389
Medium	289.6	285.7	293.5	4427
Low	275.4	265.7	285.3	648
REGION				
East	260.2	253.5	267.0	1180
North	309.3	298.1	320.8	623
Seattle	302.0	295.5	308.6	1772
South	304.5	298.3	310.7	1956

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: WAState DOH, Office of Hospital and Patient Data Systems.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

N/A: Not available.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Data by race/ethnicity not available.

Fall hospitalizations King County, 2008-2012 average



Source: WA State DOH, Office of Hospital and Patient Data Systems.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

|-----| Confidence interval shows range that includes true value 95% of the time.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Data by race/ethnicity not available.

Poverty = Neighborhood poverty levels defined by median household income.

Fall hospitalizations by comparison areas

There is no Healthy People 2020 Objective for fall hospitalizations .

	Latest Available Year	Rate	Lower CI	Upper CI
United States	N/A	N/A	N/A	N/A
WA State	2012	293.6	289.6	297.7
King County	2012	279.6	272.1	287.3

Notes:

Source: WA State DOH, Office of Hospital and Patient Data Systems.


Prepared by Public Health - Seattle & King County, APDE, 12/2014.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

N/A: Not available.


CI is 95% Confidence Interval.

Fall hospitalizations by comparison areas



Source: WA State DOH, Office of Hospital and Patient Data Systems.
 Prepared by Public Health - Seattle & King County, APDE, 12/2014.
[^]Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
 |-----| Confidence interval shows range that includes true value 95% of the time.


Fall hospitalizations by zip codes
King County, 2008-2012 average



Source: WA State DOH, Office of Hospital and Patient Data Systems.
Prepared by Public Health - Seattle & King County, APDE, 12/2014.

^aRate = cases per 100,000 population, age-adjusted to the 2000 US population.

Fall hospitalizations King County, 2000-2012, three-year rolling averages



Source: WA State DOH, Office of Hospital and Patient Data Systems.
 Prepared by Public Health - Seattle & King County, APDE, 12/2014.
 ^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.